

RG-RAP6260(G) AX1800 Wi-Fi 6 Dual Band Gigabit Outdoor Access Point



Kode : RG-RAP6260(G)

Kategori : Ruijie

Harga : Rp 3.084.000,00

RG-RAP6260(G) is one of the wireless products fully developed by Ruijie Reeye. The device supports 802.3at PoE In power supply. With concurrent 2.4GHz and 5GHz, the AP supports dual-band dual-stream MIMO technology. RG-RAP6260(G) applies for IP68 protection on the outer shell design, which is suitable in the outdoor environment and voids the influence from the extreme condition.

***Belum termasuk adaptor dan poe injector**

- Speedy Dual Band Access Point
- Flexible Gigabit Uplink Options
- Support Both Router and AP Mode
- Support Layer 3
- Stronger and More Stable Signal
- Outstanding Environment Suitability
- Easy-to-Use Installation
- Industrial Design



Specification

Model	RG-RAP6260(G)
Protocol	Concurrent 802.11a/b/g/n/ac/ax
Operating Bands	802.11b/g/n/ac/ax 2.4G ~ 2.4835GHz 802.11a/n/ac/ax 5G 5.150~5.350GHz 5.725~5.825GHz (country specific)
Antenna	Internal antennas (2.4GHz: 4dBi 5GHz: 6dBi)
Spatial Streams	2.4 GHz: 2x2 MU-MIMO 5 GHz: 2x2 MU-MIMO
Max Throughput	Up to 574 Mbps at 2.4 GHz Up to 1201 Mbps at 5 GHz
Service Ports	1x 10/100/1000 Base-T ethernet port support PoE IN; 1x 100/1000 Base-X SFP Port
Power Supply	802.3at PoE (Warning: 802.3af or non-standard POE adapter may cause unknown issues. Please use Ruijie POE+ switch or 802.3at POE adapter as power supplier)
Power Consumption	≤ 17 W
Operating temperature	-40°C - 65°C
Storage temperature	-40°C - 85°C
MTBF	>400000H
Maximum number of clients	512
Recommended number of clients	100

Maximum Number of SSIDs	8
-------------------------	---

[Download Datasheet](#)

** Harga, spesifikasi, dan ketersediaan bisa berubah dan tidak mengikat*

URL : <https://www.citraweb.com/produk/1020/>

Informasi lebih lanjut, pemesanan dan pembelian, hubungi: 0274-554444 atau email sales@citraweb.com

www.citraweb.com